


ISSN 0012-385X

DISCRETE MATHEMATICS



MASTER INDEX
VOLUMES 161-170

Now available:
Electronic Features
<http://www.elsevier.nl/locate/disc>

NORTH-HOLLAND

DISCRETE MATHEMATICS

Editor-in-Chief Peter L. Hammer, New Brunswick (NJ)

Advisory Editors

C. Berge, Paris
A.J. Hoffman,
Yorktown Heights (NY)

V.L. Klee, Seattle (WA)
R.C. Mullin, Waterloo
G.-C. Rota, Cambridge (MA)

V.T. Sós-Turán, Budapest
J.H. van Lint, Eindhoven

Board of Editors

M.S. Aigner, Berlin
B. Alspach, Burnaby
G.E. Andrews, Univ. Park (PA)
A. Barlotti, Firenze
C. Benzaken, Grenoble
J.-C. Bermond,
Sophia-Antipolis
N.L. Biggs, London
B. Bollobás, Cambridge (UK)
R.A. Brualdi, Madison (WI)
T.H. Brylawski,
Chapel Hill (NC)
P.J. Cameron, London
P. Camion, Le Chesnay
G. Chartrand, Kalamazoo (MI)
V. Chvátal, New Brunswick (NJ)

D. Foata, Strasbourg
A.S. Fraenkel, Rehovot
P. Frankl, Tokyo
A.M. Frieze, Pittsburgh (PA)
I.M. Gessel, Waltham (MA)
R.L. Graham,
Murray Hill (NJ)
A. Hajnal, Budapest
F. Harary, Las Cruces (NM)
D.M. Jackson, Waterloo
J. Kahn, New Brunswick (NJ)
G.O.H. Katona, Budapest
D.J. Kleitman,
Cambridge (MA)
L. Lovász, New Haven (CT)
E.C. Milner, Calgary

I. Rival, Ottawa
A. Rosa, Hamilton
S. Rudeanu, Bucharest
H. Sachs, Ilmenau
J. Schonheim, Tel-Aviv
M.P. Schützenberger, Paris
N.J.A. Sloane
Murray Hill (NJ)
C. Thomassen, Lyngby
W.T. Tutte, Waterloo
D.J.A. Welsh, Oxford
R. Wille, Darmstadt
D.R. Woodall, Nottingham
H.P. Yap, Singapore

Editorial Manager Nelly Segal **Issue Manager** Mick van Gijlswijk

Publication Information. Discrete Mathematics (ISSN 0012-365X). For 1997 volumes 162-177 are scheduled for publication. A combined subscription to Discrete Mathematics and Discrete Applied Mathematics (Vols. 72-79) at reduced rate is available. Subscription prices are available upon request from the Publisher. Subscriptions are accepted on a prepaid basis only and are entered on a calendar year basis. Issues are sent by surface mail except to the following countries where air delivery via SAL is ensured: Argentina, Australia, Brazil, Canada, Hong Kong, India, Israel, Japan, Malaysia, Mexico, New Zealand, Pakistan, China, Singapore, South Africa, South Korea, Taiwan, Thailand, USA. For all other countries airmail rates are available upon request. Claims for missing issues must be made within six months of our publication (mailing) date. For orders, claims, product enquiries (no manuscript enquiries) please contact the Customer Support Department at the Regional Sales Office nearest to you:

New York, Elsevier Science, P.O. Box 945, New York, NY 10159-0945, USA. Tel: (+1) 212-633-3730, [Toll Free number for North American Customers: 1-888-4ES-INFO (437-4636)], Fax: (+1) 212-633-3680, E-mail: usinfo-f@elsevier.com

Amsterdam, Elsevier Science, P.O. Box 211, 1000 AE Amsterdam, Netherlands, Tel: (+31) 20-485-3757, Fax: (+31) 20-485-3432, E-mail: nlinfo-f@elsevier.nl

Tokyo, Elsevier Science, 9-15, Higashi-Azabu 1-chome, Minato-ku, Tokyo 106, Japan. Tel: (+81) 3-5561-5033, Fax: (+81) 3-5561-5047, E-mail: kyf04035@niftyserve.or.jp

Singapore, Elsevier Science, No. 1 Temasek Avenue, #17-01 Millenia Tower, Singapore 039192. Tel: (+65) 434-3727, Fax: (+65) 337-2230, E-mail: asiainfo@elsevier.com.sg

© 1997, Elsevier Science B.V. (North-Holland)

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior permission of the Publisher, Elsevier Science B.V., Copyright and Permissions Department, P.O. Box 521, 1000 AM Amsterdam, Netherlands.

Special regulations for authors—Upon acceptance of an article by the journal, the author(s) will be asked to transfer copyright of the article to the Publisher. This transfer will ensure the widest possible dissemination of information.

Special regulations for readers in the USA—This journal has been registered with the Copyright Clearance Center, Inc. Consent is given for copying of articles for personal or internal use, or for the personal use of specific clients. This consent is given on the condition that the copier pays through the Center the per-copy fee stated in the code on the first page of each article for copying beyond that permitted by Sections 107 or 108 of the US Copyright Law. The appropriate fee should be forwarded with a copy of the first page of the article to the Copyright Clearance Center, Inc., 222 Rosewood Drive, Danvers, MA 01923, USA. If no code appears in an article, the author has not given broad consent to copy and permission to copy must be obtained directly from the author. The fee indicated on the first page of an article in this issue will apply retroactively to all articles published in the journal, regardless of the year of publication. This consent does not extend to other kinds of copying such as for general distribution, resale, advertising and promotion purposes, or for creating new collective works. Special written permission must be obtained from the Publisher for such copying.

No responsibility is assumed by the Publisher for any injury and/or damage to persons or property as a matter of products liability, negligence or otherwise, or from any use or operation of any methods, products, instructions or ideas contained in the material herein. Although all advertising material is expected to conform to ethical standards, inclusion in this publication does not constitute a guarantee or endorsement of the quality or value of such product or of the claims made of it by its manufacturer.


© The paper used in this publication meets the requirements of ANSI/NISO Z39.48-1992 (Permanence of Paper)

Published monthly

0012-365X/97/\$17.00

Printed in the Netherlands

DISCRETE MATHEMATICS



DISCRETE MATHEMATICS

**MASTER INDEX
VOLUMES 161–170**



ELSEVIER, Amsterdam—Lausanne—New York—Oxford—Shannon—Tokyo

Abstracted/Index in: ACM Computing Reviews, Cambridge Scientific Abstracts, Current Contents: Physical, Chemical & Earth Sciences, International Abstracts in Operations Research, Mathematical Reviews, PASCAL, Science Citation Index, Zentralblatt für Mathematik.

© 1997, Elsevier Science B.V. All rights reserved

No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior permission of the Publisher, Elsevier Science B.V., Copyright and Permissions Department, P.O. Box 521, 1000 AM Amsterdam, Netherlands.

Special regulations for authors—Upon acceptance of an article by the journal, the author(s) will be asked to transfer copyright of the article to the Publisher. This transfer will ensure the widest possible dissemination of information.

Special regulations for readers in the USA—This journal has been registered with the Copyright Clearance Center, Inc. Consent is given for copying of articles for personal or internal use, or for the personal use of specific clients. This consent is given on the condition that the copier pays through the Center the per-copy fee stated in the code on the first page of each article for copying beyond that permitted by Sections 107 or 108 of the US Copyright Law. The appropriate fee should be forwarded with a copy of the first page of the article to the Copyright Clearance Center, Inc., 222 Rosewood Drive, Danvers, MA 01923, USA. If no code appears in an article, the author has not given broad consent to copy and permission to copy must be obtained directly from the author. The fee indicated on the first page of an article in this issue will apply retroactively to all articles published in the journal, regardless of the year of publication. This consent does not extend to other kinds of copying such as for general distribution, resale, advertising and promotion purposes, or for creating new collective works. Special written permission must be obtained from the Publisher for such copying.

0012-365X/97/\$17.00

No responsibility is assumed by the Publisher for any injury and/or damage to persons or property as a matter of products liability, negligence or otherwise, or from any use or operation of any methods, products, instructions or ideas contained in the material herein.

Although all advertising material is expected to conform to ethical standards, inclusion in this publication does not constitute a guarantee or endorsement of the quality or value of such product or of the claims made of it by its manufacturer.

© The paper used in this publication meets the requirements of ANSI/NISO Z39.48-1992 (Permanence of Paper)

Printed in the Netherlands.

EDITOR-IN-CHIEF

Peter L. Hammer, *RUTCOR, Rutgers University Center for Operations Research,
P.O. Box 5062, New Brunswick, NJ 08903-5062, USA*

ADVISORY EDITORS

C. Berge, *E.R. Combinatoire, Centre de Mathématique Sociale, 54 Boulevard Raspail,
75270 Paris Cedex 06, France*

A.J. Hoffman, *IBM Thomas Watson Research Center, Mathematical Sciences
Department, P.O. Box 218, Yorktown Heights, NY 10598, USA*

V.L. Klee, *Department of Mathematics, University of Washington, Seattle, WA 98195,
USA*

R.C. Mullin, *Department of Combinatorics & Optimization, University of Waterloo,
Waterloo, Ont., Canada N2L 3G1*

G.-C. Rota, *1105 Massachusetts Ave., Apr 8G, Cambridge, MA 02138-5216, USA*

V.T. Sós-Turán, *Elke TTK Analisis I, Mathematical Institute, Muzeum Krt. 6-8,
H-Budapest 8, Hungary*

J.H. van Lint, *Technische Universiteit, Insulindelaan 2, 5612 AZ Eindhoven, Netherlands*

BOARD OF EDITORS

M.S. Aigner, *FB Mathematik, WE2, Freie Universität Berlin, Arnimallee 3, 14195
Berlin 33, Germany*

B. Alspach, *Department of Mathematics & Statistics, Simon Fraser University,
Burnaby, B.C., Canada V5A 1S6*

G.E. Andrews, *Department of Mathematics & Statistics, Pennsylvania State University,
University Park, PA 16802, USA*

A. Barlotti, *Istituto Matematico "Ulisse Dini", Viale Morgagni 67/A, I-50134 Firenze,
Italy*

C. Benzaken, *Institute of Advanced Mathematics, Scientific and Medical, University of
Grenoble, BP 53X, 38041 Grenoble Cedex, France*

J.-C. Bermond, *Informatique, CNRS, URA 1376, 3 rue Einstein, Sophia-Antipolis,
06560 Valbonne, France*

N.L. Biggs, *Department of Mathematics, London School of Economics, Houghton Street,
London WC2A 2AE, UK*

B. Bollobás, *Department of Pure Mathematics & Mathematical Statistics, University of
Cambridge, 16 Mill Lane, Cambridge CB2 1SB, UK*

R.A. Brualdi, *Department of Mathematics, University of Wisconsin-Madison, 480 Lincoln
Drive, Madison, WI 53706, USA*

T.H. Brylawski, *Department of Mathematics, University of North Carolina, Chapel Hill,
NC 27514, USA*

P.J. Cameron, *School of Mathematical Sciences, Queen Mary College, University of
London, Mile End Road, London E1 4NS, UK*

P. Camion, *INRIA, Domaine de Voluceau-Rocquencourt, BP 105, Le Chesnay Cedex
78153, France*

G. Chartrand, *Department of Mathematics, Western Michigan University,
Kalamazoo, MI 49008, USA*

V. Chvátal, *Department of Computer Science, Rutgers University, New Brunswick, NJ 08903, USA*

D. Foata, *Département Mathématique, Université Louis Pasteur, 7 rue René Descartes, F-67084 Strasbourg, France*

A.S. Fraenkel, *Department of Applied Mathematics, Weizmann Institute of Science, IL-76100 Rehovot, Israel*

P. Frankl, *Shibuya-Ku, Higashi 1-10-30301, Tokyo 150, Japan*

A.M. Frieze, *Department of Mathematics, Carnegie Mellon University, Pittsburgh, PA 15213, USA*

I.M. Gessel, *Department of Mathematics, Brandeis University, P.O. Box 9110, Waltham, MA 02254-9110, USA*

R.L. Graham, *AT&T Bell Laboratories, 600 Mountain Avenue, Room 2C-382, Murray Hill, NJ 07974, USA*

A. Hajnal, *Mathematical Institute, Hungarian Academy of Science, Reáltanoda u. 13–15, H-1053 Budapest, Hungary*

F. Harary, *Department of Computer Science, New Mexico State University, Las Cruces, NM 88003, USA*

D.M. Jackson, *Combinatorics & Optimization, University of Waterloo, Waterloo, Ont., Canada N2L 3G1*

J. Kahn, *Department of Mathematics, Rutgers University, Hill Center, Busch Campus, New Brunswick, NJ 08903, USA*

G.O.H. Katona, *Matematik Kutató Intéz, Magyar Tudományos Akad, Reáltanoda u. 13–15, H-1053 Budapest, Hungary*

D.J. Kleitman, *Department of Mathematics, Massachusetts Institute of Technology, Cambridge, MA 02139, USA*

L. Lovász, *Yale University, Department of Computer Science, New Haven, CT 06520, USA*

E.C. Milner, *Department of Mathematics, University of Calgary, Calgary, Alta., Canada T2N 1N4*

I. Rival, *Department of Computer Science, University of Ottawa, Ottawa, Ont., Canada K1N 6N5*

A. Rosa, *Department of Mathematics, McMaster University, Hamilton, Ont., Canada L8S 4K1*

S. Rudeanu, *Institutul de Matematică, University of Bucharest, Str. Academiei 14, 70109 Bucaresti, Romania*

H. Sachs, *TH/Sekt. Mathematik, Rechentechnik und Kybernetik, Postfach 327, 98693 Ilmenau, Germany*

J. Schonheim, *Department of Mathematics, Tel Aviv University, Ramat Aviv, IL-Tel Aviv, Israel*

M.P. Schützenberger, *U.E.R. Mathématique, Université de Paris VII, 2, place Jussieu, F-75251 Paris Cedex 5, France*

N.J.A. Sloane, *AT&T Research Labs., 600 Mountain Avenue, Room 2C-376, Murray Hill, NJ 07974, USA*

C. Thomassen, *Mathematical Institute, Technical University of Denmark, Building 303, DK-2800 Lyngby, Denmark*


W.T. Tutte, *Department of Combinatorics & Optimization, University of Waterloo,
Waterloo, Ont., Canada N2L 3G1*

D.J.A. Welsh, *Mathematical Institute, University of Oxford, 24–29 St. Giles, Oxford
OX1 3LB, UK*

R. Wille, *Fachbereich Mathematik, Technische Hochschule Darmstadt, Schlossgarten-
strasse 7, 64289 Darmstadt, Germany*

D.R. Woodall, *Department of Mathematics, University of Nottingham, University Park,
Nottingham NG7 2RD, UK*

H.P. Yap, *Department of Mathematics, National University of Singapore, Singapore
0511, Singapore*



List of referees: volumes 161–170

DISCRETE MATHEMATICS has continuously benefitted from the kind assistance of a great number of referees. We hereby express our gratitude for their sustained efforts, without which our activity could not have been carried out.

the editors

H.L. Abbott	G.R. Brightwell	H. Crapo
R.J.R. Abel	A. Brini	R.T. Curtis
B.D. Acharya	S. Brlek	D. Cvetkovic
P. Agarwal	I. Broere	E. Dahlhaus
M. Aigner	H.J. Broersma	P. Damaschke
N. Alon	A.E. Brouwer	R.M. Damerell
B. Alspach	T.C. Brown	J.A. Davis
L.D. Andersen	R.A. Brualdi	D.E. Daykin
G.E. Andrews	B. Buchberger	D. de Caen
R.J. Archbold	M.W. Buck	M.J. de Resmini
D. Archdeacon	F. Buekenhout	M. Dehon
F. Aurenhammer	M. Buratti	C. Delorme
A.T. Balaban	E.R. Canfield	W. Deuber
J. Bang-Jensen	V. Capoyleas	M.B. Dillencourt
D.W. Bange	Y. Caro	G. Ding
A. Barlotti	P.V. Ceccherini	J.H. Dinitz
J. Beck	L. Cerlienco	F.-M. Dong
D. Bedford	G. Chartrand	J. Doyen
L.W. Beineke	C.C. Chen	F.F. Dragan
W. Benz	X.-E. Chen	D.A. Drake
C. Benzaken	Chen Zhibo	D.Z. Du
C. Berge	V.D. Chepoi	J.E. Dunbar
V. Bergelson	G.L. Cherlin	P.H. Edelman
J.D. Berman	A.G. Chetwynd	K.J. Edwards
B.C. Berndt	G.L. Chia	S. Eliahou
J. Berstel	P.Z. Chinn	M.N. Ellingham
A.A. Bertossi	T.Y. Chow	H. Enomoto
L. Bessis	F.R.K. Chung	R.C. Entringer
A. Beutelspacher	D. Cieslik	T. Ericson
A. Bialostocki	L.H. Clark	M. Erne
A. Bichara	E.J. Cockayne	C.A. Eschenbach
R. Bidard	S.D. Cohen	F. Eugeni
N.L. Biggs	C.J. Colbourn	H. Everett
A. Blokhuis	K.L. Collins	J. Fabrega
K.P. Bogart	M. Conforti	U. Faigle
O.V. Borodin	C. Cooper	G. Faina
E. Boros	D.G. Corneil	S. Fajtlowicz
M. Bousquet-Melou	K. Corradi	R.J. Faudree
E.A. Boyd	P. Corsini	O. Favaron
A. Brandstadt	Y. Crama	S. Felsner

B. Fichet	A.J.W. Hilton	R.R. Korfhage
M.A. Fiol	H.R.F. Hind	A.V. Kostochka
S. Fiorini	J.W.P. Hirschfeld	M. Kouider
E. Fischer	M.D. Hirschhorn	S. Kounias
P.C. Fishburn	W. Hochstaettler	I. Krasikov
W.J. Floyd	D.A. Holton	D. Kratsch
D. Foata	R. Holzman	D.L. Kreher
S. Fomin	Hong Wang	M. Krivlevich
D.G. Fon-Der-Flaass	I. Honkala	D. Krob
J.L. Fouquet	M. Hornak	H. Kurzweil
P. Frankl	H. Hotje	H.-J. Lai
A.M. Frieze	D.R. Hughes	A. Lasoux
T. Fujiwara	G. Hurlbert	R. Laskar
C. Gagliardi	A.B. Huseby	A. Lawrenz
J.A. Gallian	F.K. Hwang	J. Lehel
F. Galvin	T. Ibaraki	M. Lemos
B. Ganter	P. Ille	H. Lenz
B. Gao	G. Isaak	L.M. Lesniak
F. Gavril	J. Isbell	N.-Z. Li
B. Gerards	D.M. Jackson	L. Libkin
I. Gessel	M.S. Jacobson	A.L. Liestman
R.A. Gibbs	F. Jaeger	C. Lindner
M. Gionfriddo	Z. Janko	B. Lindstrom
D.G. Glynn	E.B. Jarrett	A. Ling
M.K. Goldberg	D. Jennings	N. Linial
B. Gordon	S. Jennings	V.A. Liskovets
R.J. Gould	X.-D. Jia	S. Litvin
D. Gouyou-Beauchamps	Z. Jiang	C.H.C. Little
R.L. Graham	X. Jin	Liu Jiuqiang
J.R. Griggs	R. Johansson	Liu Yanpei
J.L. Gross	T. Jordan	E.K. Lloyd
Y. Guo	L.K. Jorgensen	M. Loeb
G.Z. Gutin	H.A. Jung	E. London
I. Gutman	D. Jungnickel	A. Lubiw
A.J. Guttmann	J. Kahn	A. Lubotzky
A. Gyarfás	M. Kano	Ma Zhongian
M. Habib	J. Karhumaki	G. MacGillivray
R. Häggkvist	H. Karzel	A. Machi
G. Hahn	P. Katerinis	D. MacPherson
S.L. Hakimi	G.O.H. Katona	W. Mader
R.R. Hall	A.D. Keedwell	H. Maehara
M.D. Halsey	A.K. Kelmans	F. Maffray
Y.O. Hamidoune	A. Kerber	A.R. Mahjoub
D. Hanson	A.E. Kezdy	A. Mandel
F. Harary	J.H. Kim	M. Marchi
E.O. Hare	V. Klee	O. Marcotte
T. Harju	M.H. Klin	L.R. Markus
J.H. Hattingh	T. Klove	N. Martin
P. Heijnen	U. Knauer	D. Marusic
K. Heinrich	W.L. Kocay	A. Mateescu
P. Hell	K.M. Koh	F. Mazzocca
T. Helleseth	K. Kolossa	W. McCuaig
R.L. Hemminger	P. Komjath	C. McDiarmid
M.A. Henning	E. Korach	S. McGuinness
R. Hill	G. Korchmaros	R. McIntosh

T.A. McKee	E. Prisner	J. Siran
P. McMullen	H. Prodinger	M. Skoviera
A.A. McRae	H.J. Proemel	N.J.A. Sloane
A. Meir	A. Proskurowski	W.F. Smyth
J.B.M. Melissen	J.S. Provan	H.S. Snevily
N. Melone	W.R. Pulleyblank	P. Sole
E. Mendelsohn	L. Pyber	V.T. Sós
R. Meshulam	C. Rasmussen	D. Sotteau
P. Mihok	A. Recski	E. Speckenmeyer
E.C. Milner	K.B. Reid	J.H. Spencer
M. Minoux	C. Reutenauer	J.N. Srivastava
J.A. Mitchem	K. Reuter	S. Stahl
S.G. Mohanty	J.F. Rigby	S.K. Stein
M. Molloy	M.S. Roddy	R. Steinberg
B. Monjardet	C.A. Rodger	N.M. Stevens
J.W. Moon	Y. Roditty	M. Stiebitz
A.O. Morris	D.G. Rogers	D.R. Stinson
N. Mouawad	A. Rosa	P.K. Stockmeyer
H. Mueller	G.-C. Rota	R. Stong
R. Mueller	B. Rothschild	L. Storme
H.M. Mulder	J. Roudneff	K. Strambach
R.C. Mullin	S. Rudeanu	D.J. Street
J. Mykkeltveit	F. Ruskey	V. Strehl
C.M. Mynhardt	I. Rusu	Su Jianji
C. St. J. Nash-Williams	Z. Ryjacek	D.P. Sumner
S. Negami	G. Sabidussi	L.A. Szekely
F. Niedermeyer	H. Sachs	G. Tallini
R. Nowakowski	A. Saito	C. Tardif
J. O'Rourke	M. Sajna	E. Tardos
S. Oates-Williams	M. Saks	T.-S. Tay
O.R. Oellermann	M.J. Saltzman	H. Taylor
D. Olanda	R. Sandling	L. Teirlinck
S. Olariu	B. Sands	C.-P. Teo
G. Olshanski	N.W. Sauer	K.L. Teo
P.R.J. Ostergard	M. Scafati Tallini	P. Terwilliger
K. Ota	R. Scapellato	J.A. Thas
P.J. Owens	A.A. Schaffer	B.D. Thatte
J.G. Oxley	E.R. Scheinerman	L. Thoma
J. Pach	R.H. Schelp	A.G. Thomason
A. Pasini	E. Schmeichel	C. Thomassen
O. Patashnik	B. Schmidt	S. Todorcevic
C. Payan	J.P. Schmidt	D.T. Todorov
Y.H. Peng	J. Schonheim	I. Tomescu
D. Peterson	B.S.W. Schroeder	V.D. Tonchev
K.T. Phelps	A. Sebo	A.N. Trenk
G. Pirillo	N. Seifter	V.I. Trofimov
T. Pisanski	L.W. Shapiro	W.T. Trotter
M.J. Plantholt	M. Sharir	A. Tucker
J. Plesnik	M. Sheard	H. Tverberg
M.D. Plummer	J.B. Shearer	J. Ueberberg
N. Polat	J. Sheehan	S. Ueno
D.A. Preece	A.F. Sidorenko	K. Ushio
M. Preissmann	G. Sierksma	J. van den Heuvel
A. Prekopa	J.E. Simpson	J.A.A. van der Veen
H. Priestley	D. Singerman	M. van Eupen

List of referees: volumes 161-170

H.C.A. van Tilborg	D.E. White	S.-j. Xu
C. Vanden Eynden	E.G. Whitehead Jr	N.H. Xuong
H.J. Veldman	G.P. Whittle	M. Yannakakis
K. Vesztergombi	P. Wild	H.P. Yap
A. Vince	T. Will	J. Yin
V.I. Voloshin	B.J. Wilson	T. Yuster
T. Walsh	R.J. Wilson	J. Zaks
A.S. Wassermann	W. Woess	C.M. Zamfirescu
J.J. Watkins	A.J. Woldar	T. Zamfirescu
M.E. Watkins	H. Wolkowicz	T. Zaslavsky
I. Wegener	J.A. Wood	B. Zelinka
Wei Ruizhong	D.R. Woodall	C.-Q. Zhang
D.J.A. Welsh	N.C. Wormald	G.M. Ziegler
D.B. West	Xin Wang	J. Zuther

Master index of volumes 161–170

Abderrezak, M.E.K., E. Flandrin, A. Harkat-Benhamdine and H. Li, D_k -cycles in λ -claw-free graphs 165/166 (1997) 11– 20

Abrams, A., The k th upper chromatic number of the line (*Note*) 169 (1997) 157–162

Acenjian, see X.-R. Yong 169 (1997) 293–298

Achlioptas, D., The complexity of G -free colourability 165/166 (1997) 21– 30

Acketa, D.M. and V. Mudrinski, Two 5-designs on 32 points (*Note*) 163 (1997) 209–210

Aguiló, F., M.A. Fiol and C. Garcia, Triple loop networks with small transmission delay 167/168 (1997) 3– 16

Aït Haddadène, H. and F. Maffray, Coloring perfect degenerate graphs (*Note*) 163 (1997) 211–215

Alevras, D., Order preserving assignments without contiguity 163 (1997) 1– 11

Alon, N., Zs. Tuza and M. Voigt, Choosability and fractional chromatic numbers 165/166 (1997) 31– 38

Althöfer, I. and M. Löwe, Edge search in hypergraphs (*Note*) 162 (1996) 267–271

Amar, D., see O. Ordaz 161 (1996) 207–215

Ananchuen, N. and L. Caccetta, Matching extension and minimum degree 170 (1997) 1– 13

Andersen, L.D. and A.J.W. Hilton, Triangulations of 3-way regular tripartite graphs of degree 4, with applications to orthogonal latin squares 167/168 (1997) 17– 34

Ando, K. and Y. Egawa, The minimum number of edges in a vertex diameter-2-critical graph 167/168 (1997) 35– 63

Arumugam, S. and K.A. Germina, On indexable graphs (*Note*) 161 (1996) 285–289

Bailey, R.A. and P.E. Chigbu, Enumeration of semi-Latin squares 167/168 (1997) 73– 84

Bailey, R.A., A Howell design admitting A_5 167/168 (1997) 65– 71

Balbuena, C., A. Carmona, J. Fàbrega and M.A. Fiol, Extraconnectivity of graphs with large minimum degree and girth 167/168 (1997) 85–100

Banaszczyk, W., see S. Sevast'janov 169 (1997) 145–152

Bang-Jensen, J. and G. Gutin, Alternating cycles and paths in edge-coloured multigraphs: A survey 165/166 (1997) 39– 60

Bang-Jensen, J. and G. Gutin, Paths and cycles in extended and decomposable digraphs 164 (1997) 5– 19

Bang-Jensen, J. and G. Gutin, Vertex heaviest paths and cycles in quasi-transitive digraphs (*Note*) 163 (1997) 217–223

Bang-Jensen, J., G. Gutin and A. Yeo, On k -strong and k -cyclic digraphs 162 (1996) 1– 11

Bang-Jensen, J., G. Gutin and J. Huang, A sufficient condition for a semicomplete multipartite digraph to be Hamiltonian 161 (1996) 1– 12

Bang-Jensen, J., Y. Guo, G. Gutin and L. Volkmann, A classification of locally semicomplete digraphs 167/168 (1997) 101–114

Banković, D., General reproductive solutions of Postian equations (*Note*) 169 (1997) 163–168

Barcucci, E., A.D. Lungo, S. Fezzi and R. Pinzani, Nondecreasing Dyck paths and q -Fibonacci numbers (*Note*) 170 (1997) 211–217

Bauslaugh, B.L., Compactness and finite equivalence of infinite digraphs 167/168 (1997) 115–126

Beck, D.A., The combinatorics of symmetric functions and permutation enumeration of the hyper-octahedral group 163 (1997) 13– 45

Beineke, L.W. and M.A. Henning, Opinion functions on trees 167/168 (1997) 127–139

Ben-Israel, A., see X. Tang 169 (1997) 279–282

Benadé, G., I. Broere, B. Jonck and M. Frick, Uniquely (m, k) -colourable graphs and k - τ -saturated graphs 162 (1996) 13– 22

Bennett, F.E. and J. Yin, Packings and coverings of the complete directed multigraph with 3- and 4-circuits 162 (1996) 23– 29

Bennett, F.E. and R. Wei, The existence of Schröder designs with equal-sized holes 170 (1997) 15– 28

Berge, C. and J.-L. Fouquet, On the optimal transversals of the odd cycles (*Note*) 169 (1997) 169–175

Berge, C., Motivations and history of some of my conjectures 165/166 (1997) 61– 70

Bernstein, M., N.J.A. Sloane and P.E. Wright, On sublattices of the hexagonal lattice 170 (1997) 29– 39

Bielak, H., Chromatic uniqueness in a family of 2-connected graphs 164 (1997) 21– 28

Blokhuis, A. and A.E. Brouwer, Determination of the distance-regular graphs without 3-claws (<i>Note</i>)	163 (1997) 225–227
Böhme, T., H.J. Broersma, F. Göbel, A.V. Kostochka and M. Stiebitz, Spanning trees with pairwise nonadjacent endvertices (<i>Note</i>)	170 (1997) 219–222
Bollobás, B. and A.D. Scott, Independent sets and repeated degrees	170 (1997) 41– 49
Bollobás, B. and I. Leader, Sums in the grid	162 (1996) 31– 48
Bondy, J.A., Counting subgraphs: A new approach to the Caccetta–Häggkvist conjecture	165/166 (1997) 71– 80
Bonisoli, A. and G. Korchmáros, Suzuki groups, one-factorizations and Lüneburg planes	161 (1996) 13– 24
Borobia, A., Vertices of the generalized transitive tournament polytope (<i>Note</i>)	163 (1997) 229–234
Borodin, O.V., A new proof of Grünbaum's 3 color theorem (<i>Note</i>)	169 (1997) 177–183
Boros, E. and O. Čepek, On perfect $0, \pm 1$ matrices	165/166 (1997) 81–100
Bouchakour, M. and A.R. Mahjoub, One-node cutsets and the dominating set polytope	165/166 (1997) 101–123
Bouchemakh, I. and K. Engel, The order-interval hypergraph of a finite poset and the König property	170 (1997) 51– 61
Bouchet, A. and L. Ghier, Connectivity and β -invariants of isotropic systems and 4-regular graphs	161 (1996) 25– 44
Boukliev, I.G., New bounds for the minimum length of quaternary linear codes of dimension five (<i>Note</i>)	169 (1997) 185–192
Bowler, A., Orthomorphisms of dihedral groups	167/168 (1997) 141–144
Boza, L., A. Diáñez and A. Márquez, The center of an infinite graph	161 (1996) 45– 52
Brandstädt, A., see F.F. Dragan	162 (1996) 93–108
Brewster, R.C., P. Hell and G. MacGillivray, The complexity of restricted graph homomorphisms	167/168 (1997) 145–154
Brinkmann, G. and E. Steffen, 3- and 4-critical graphs of small even order (<i>Note</i>)	169 (1997) 193–197
Broere, I., see G. Benadé	162 (1996) 13– 22
Broersma, H.J., A note on the minimum size of a vertex pancyclic graph	164 (1997) 29– 32
Broersma, H.J., Z. Ryjáček and I. Schiermeyer, Dirac's minimum degree condition restricted to claws	167/168 (1997) 155–166
Broersma, H.J., see T. Böhme	170 (1997) 219–222
Brouwer, A.E. and H.M. Mulder, The vertex connectivity of a $\{0, 2\}$ -graph equals its degree (<i>Communication</i>)	169 (1997) 153–155
Brouwer, A.E., see A. Blokhuis	163 (1997) 225–227

Brualdì, R.A. and J.A. Dias da Silva, A retract characterization of posets with the fixed-point property (*Note*) 169 (1997) 199–203

Brunat, J.M., M. Maureso and M. Mora, Characterization of c -circulant digraphs of degree two which are circulant 165/166 (1997) 125–137

Bryant, D.E. and S. Oates-Williams, Strongly 2-perfect cycle systems and their quasigroups 167/168 (1997) 167–174

Buratti, M., Edge-colourings characterizing a class of Cayley graphs and a new characterization of hypercubes (*Note*) 161 (1996) 291–295

Burger, A.P., E.J. Cockayne and C.M. Mynhardt, Domination and irredundance in the queens' graph 163 (1997) 47– 66

Burkard, R.E., T. Dudás and T. Maier, Cut and patch Steiner trees for ladders 161 (1996) 53– 61

Byard, K., see D. Jennings 167/168 (1997) 405–410

Bylka, S. and J. Komar, Interesection properties of line graphs 164 (1997) 33– 45

Caccetta, L., see N. Ananchuen 170 (1997) 1– 13

Cai, M.-C., Connected $[k, k + 1]$ -factors of graphs 169 (1997) 1– 16

Cameron, K., Coloured matchings in bipartite graphs (*Note*) 169 (1997) 205–209

Cameron, P.J., On the probability of connectedness 167/168 (1997) 175–187

Caragiù, M., On a class of finite upper half-planes 162 (1996) 49– 66

Carmona, A., see C. Balbuena 167/168 (1997) 85–100

Caro, Y., Y. Roditty and J. Schönheim, On colored designs — I 164 (1997) 47– 65

Caughman IV, J.S., Intersection numbers of bipartite distance-regular graphs (*Note*) 163 (1997) 235–241

Čepel, O., see E. Boros 165/166 (1997) 81–100

Černý, A., P. Horák and W.D. Wallis, Kirkman's school projects 167/168 (1997) 189–196

Chang, C.-C., see C. Chen 170 (1997) 223–230

Chang, G.J., see C. Chen 170 (1997) 223–230

Chang, G.J., see D. Kuo 169 (1997) 121–131

Chang, G.J., see Y.-J. Tsay 163 (1997) 165–172

Charles, P., see J. Stefan 163 (1997) 201–208

Charon, I., A. Guénoche, O. Hudry and F. Woigard, New results on the computation of median orders 165/166 (1997) 139–153

Chartrand, G., H. Hevia, E.B. Jarrett and M. Schultz, Subgraph distances in graphs defined by edge transfers 170 (1997) 63– 79

Chen, Y.-g., On m -harmonic sequences (*Note*) 162 (1996) 273–280

Chen, B., Parametric Möbius inversion formulas (*Note*) 169 (1997) 211–215

Chen, C., C.-C. Chang and G.J. Chang, Proper interval graphs and the guard problem (*Note*) 170 (1997) 223–230

Chen, G., A result on C_4 -star Ramsey numbers (*Note*) 163 (1997) 243–246

Chen, G., R.H. Schelp and W.E. Shreve, A special k -coloring for a connected k -chromatic graph (*Note*) 170 (1997) 231–236

Chen, Z., On polynomial functions from $Z_{n_1} \times Z_{n_2} \times \dots \times Z_{n_r}$ to Z_m 162 (1996) 67– 76

Chen, Z.-H., The size of graphs with clique number m and without nowhere-zero 4-flows (*Note*) 163 (1997) 247–249

Chernoff, W.W., Interwoven polygonal frames 167/168 (1997) 197–204

Chigbu, P.E., see R.A. Bailey 167/168 (1997) 73– 84

Chernyak, A.A. and Zh.A. Chernyak, r -Multihypergraphs with prescribed edge degree sequences (*Note*) 170 (1997) 237–240

Chernyak, Zh.A., see A.A. Chernyak 170 (1997) 237–240

Chew, K.H., The chromatic index of graphs of high maximum degree 162 (1996) 77– 91

Chia, G.L., On graphs uniquely colorable under the action of their automorphism groups (*Note*) 162 (1996) 281–284

Chia, G.L., On the chromatic equivalence class of a family of graphs (*Note*) 162 (1996) 285–289

Chvátal, V., In praise of Claude Berge 165/166 (1997) 3– 9

Clements, G.F., The cubical poset is additive 169 (1997) 17– 28

Cockayne, E.J. and C.M. Mynhardt, Domination and irredundance in cubic graphs 167/168 (1997) 205–214

Cockayne, E.J., see A.P. Burger 163 (1997) 47– 66

Collins, K.L. and L.B. Krompart, The number of Hamiltonian paths in a rectangular grid 169 (1997) 29– 38

Cordovil, R., Coloring matroids 165/166 (1997) 155–160

Coulson, D., An 18-colouring of 3-space omitting distance one (*Note*) 170 (1997) 241–247

Cowling, P., The total graph of a hypergraph 167/168 (1997) 215–236

Crippa, D. and K. Simon, q -distributions and Markov processes 170 (1997) 81– 98

de Figueiredo, C.M.H., see H. Everett 165/166 (1997) 233–252

de Caen, D., A lower bound on the probability of a union (*Note*) 169 (1997) 217–220

de Werra, D., Restricted coloring models for timetabling 165/166 (1997) 161–170

Dell'Olmo, P., M.G. Speranza and Zs. Tuza, Efficiency and effectiveness of normal schedules on three dedicated processors 164 (1997) 67– 79

Delorme, C. and J.P. Tillich, Eigenvalues, eigenspaces and distances to subsets 165/166 (1997) 171–194

Deogun, J.S., D. Kratsch and G. Steiner, 1-Tough cocomparability graphs are hamiltonian 170 (1997) 99–106

Deuber, W.A. and X. Zhu, The chromatic numbers of distance graphs 165/166 (1997) 195–204

Deza, M. and V. Grishukhin, The skeleton of the 120-cell is not 5-gonal 165/166 (1997) 205–210

Diáñez, A., see L. Boza 161 (1996) 45– 52

Dias da Silva, J.A., see R.A. Brualdi 169 (1997) 199–203

Dillencourt, M.B. and W.D. Smith, Graph-theoretical conditions for inscribability and Delaunay realizability 161 (1996) 63– 77

Ding, G. and P.L. Hammer, Matroids arisen from matrogenic graphs 165/166 (1997) 211–217

Ding, K., Rook placements and cellular decomposition of partition varieties 170 (1997) 107–151

Domke, G.S. and R.C. Laskar, The bondage and reinforcement numbers of γ_f for some graphs 167/168 (1997) 249–259

Domke, G.S., J.E. Dunbar and L.R. Markus, Gallai-type theorems and domination parameters 167/168 (1997) 237–248

Dong, F.M. and K.M. Koh, On graphs in which any pair of colour classes but one induces a tree 169 (1997) 39– 54

Dorrough, D., Convergence of sequences of iterated triangular line graphs 161 (1996) 79– 86

Dragan, F.F. and A. Brandstädt, γ -Dominating cliques in graphs with hypertree structure 162 (1996) 93–108

Du, D.-Z., see P.-J. Wan 163 (1997) 173–200

Du, Q., Chromaticity of the complements of paths and cycles 162 (1996) 109–125

Dudás, T., see R.E. Burkard 161 (1996) 53– 61

Dunbar, J.E., J.W. Grossman, J.H. Hattingh, S.T. Hedetniemi and A.A. McRae, On weakly connected domination in graphs 167/168 (1997) 261–269

Dunbar, J.E., see G.S. Domke 167/168 (1997) 237–248

Edmonds, J., M. Laurent and A. Schrijver, A minor-monotone graph parameter based on oriented matroids 165/166 (1997) 219–226

Egawa, Y., see K. Ando 167/168 (1997) 35– 63

Engel, K., see I. Bouchemakh

Erdős, P. and L. Pyber, Covering a graph by complete bipartite graphs (*Note*)

Erdős, P., Some recent problems and results in graph theory

Erdős, P.L., Splitting property in infinite posets (*Note*)

Erdős, P., Some old and new problems in various branches of combinatorics

Etzion, T., Optimal constant weight codes over Z_k and generalized designs

Everett, H., C.M.H. de Figueiredo, C. Linhares-Sales, F. Maffray, O. Porto and B.A. Reed, Path parity and perfection

Fàbrega, J., see C. Balbuena

Farley, J.D., Perfect sequences of chain-complete posets

Faudree, R., E. Flandrin and Z. Ryjáček, Claw-free graphs — a survey

Favaron, O. and Y. Redouane, Minimum independent generalized t -degree and independence number in $K_{1,r+1}$ -free graphs

Fezzi, S., see E. Barcucci

Filipoiu, A. and G. Georgescu, On values in relatively normal lattices

Fiol, M.A., E. Garriga, and J.L.A. Yebra, The alternating polynomials and their relation with the spectra and conditional diameters of graphs

Fiol, M.A., see C. Balbuena

Fiol, M.A., see F. Aguiló

Flandrin, E., see M.E.K. Abderrezak

Flandrin, E., see R. Faudree

Fleischner, H., A numbering of the vertices of special networks

Fouché, W.L., Symmetry and the Ramsey degree of posets

Fouquet, J.-L., see C. Berge

Fouquet, J.-L. and V. Giakoumakis, On semi- P_4 -sparse graphs

Fouquet, J.-L., F. Maire, I. Rusu and H. Thuillier, On transversals in minimal imperfect graphs

Fournier, J.C., Tiling pictures of the plane with dominoes

170 (1997) 51– 61

170 (1997) 249–252

164 (1997) 81– 85

163 (1997) 251–256

165/166 (1997) 227–231

169 (1997) 55– 82

165/166 (1997) 233–252

167/168 (1997) 85–100

167/168 (1997) 271–296

164 (1997) 87–147

165/166 (1997) 253–261

170 (1997) 211–217

161 (1996) 87–100

167/168 (1997) 297–307

167/168 (1997) 85–100

167/168 (1997) 3– 16

165/166 (1997) 11– 20

164 (1997) 87–147

165/166 (1997) 263–276

167/168 (1997) 309–315

169 (1997) 169–175

165/166 (1997) 277–300

165/166 (1997) 301–312

165/166 (1997) 313–320

Frick, M., see G. Benadé 162 (1996) 13– 22

Fronček, D., Almost self-complementary factors of complete bipartite graphs 167/168 (1997) 317–327

Fuimek, M. and C. Krattenthaler, A bijection between Proctor's and Sundaram's odd orthogonal tableaux 161 (1996) 101–120

Galeana-Sánchez, H., A characterization of normal fraternally orientable perfect graphs (*Note*) 169 (1997) 221–225

Gao, W., An addition theorem for finite cyclic groups (*Note*) 163 (1997) 257–265

Gao, W., On the number of zero sum subsequences (*Note*) 163 (1997) 267–273

Garcia, C., see F. Aguiló 167/168 (1997) 3– 16

Garriga, E., see M.A. Fiol 167/168 (1997) 297–307

Georgescu, G., see A. Filipoiu 161 (1996) 87–100

Germina, K.A., see S. Arumugam 161 (1996) 285–289

Ghier, L., see A. Bouchet 161 (1996) 25– 44

Giakoumakis, V., see J.-L. Fouquet 165/166 (1997) 277–300

Giakoumakis, V., F. Roussel and H. Thuillier, Scattering number and modular decomposition 165/166 (1997) 321–342

Gimbel, J., M. Mahéo and C. Virlouvet, Double total domination of graphs 165/166 (1997) 343–351

Göbel, F., see T. Böhme 170 (1997) 219–222

Goddard, W. and H.C. Swart, Distances between graphs under edge operations 161 (1996) 121–132

Goddard, W., M.D. Plummer and H.C. Swart, Maximum and minimum toughness of graphs of small genus 167/168 (1997) 329–339

Gorgol, I., On bounds for size Ramsey numbers of a complete tripartite graph 164 (1997) 149–153

Gourdon, X. and H. Prodinger, A generating function approach to random subgraphs of the n -cycle (*Note*) 169 (1997) 227–232

Grannell, M.J., T.S. Griggs and J.P. Murphy, Twin Steiner triple systems 167/168 (1997) 341–352

Gravier, S. and F. Maffray, Choice number of 3-colorable elementary graphs 165/166 (1997) 353–358

Gravier, S., Hamiltonicity of the cross product of two Hamiltonian graphs (*Note*) 170 (1997) 253–257

Griggs, J.R. and Y.-C. Lin, The maximum sum of degrees above a threshold in planar graphs (*Note*) 169 (1997) 233–243

Griggs, T.S., see M.J. Grannell 167/168 (1997) 341–352

Grishukhin, V., see M. Deza 165/166 (1997) 205–210

Gropp, H., Configurations and graphs — II 164 (1997) 155–163

Gropp, H., Blocking set free configurations and their relations to digraphs and hypergraphs 165/166 (1997) 359–370

Grossman, J.W., Dominating sets whose closed stars form spanning trees 169 (1997) 83– 94

Grossman, J.W., see J.E. Dunbar 167/168 (1997) 261–269

Grytczuk, J., Infinite self-similar words 161 (1996) 133–141

Guénoc'h, A., see I. Charon 165/166 (1997) 139–153

Guiduli, B., On incidence coloring and star arboricity of graphs (*Note*) 163 (1997) 275–278

Guo, Y., A. Pinkernell and L. Volkmann, On cycles through a given vertex in multipartite tournaments 164 (1997) 165–170

Guo, Y., Path-connectivity in local tournaments 167/168 (1997) 353–372

Guo, Y., see J. Bang-Jensen 167/168 (1997) 101–114

Gurvich, V. and L. Khachiyan, On the frequency of the most frequently occurring variable in dual monotone DNFs (*Note*) 169 (1997) 245–248

Gutin, G., see J. Bang-Jensen 161 (1996) 1– 12

Gutin, G., see J. Bang-Jensen 162 (1996) 1– 11

Gutin, G., see J. Bang-Jensen 163 (1997) 217–223

Gutin, G., see J. Bang-Jensen 164 (1997) 5– 19

Gutin, G., see J. Bang-Jensen 165/166 (1997) 39– 60

Gutin, G., see J. Bang-Jensen 167/168 (1997) 101–114

Györi, E., C_6 -free bipartite graphs and product representation of squares 165/166 (1997) 371–375

Györi, E., A.V. Kostochka and T. Łuczak, Graphs without short odd cycles are nearly bipartite (*Note*) 163 (1997) 279–284

Hadjiat, M. and J.F. Maurras, A strongly polynomial algorithm for the minimum cost tension problem 165/166 (1997) 377–394

Hagauer, J. and S. Klavžar, Clique-gated graphs 161 (1996) 143–149

Hall, T.E. and M.V. Sapir, Idempotents, regular elements and sequences from finite semigroups 161 (1996) 151–160

Henning, M.A., O.R. Oellermann and H.C. Swart, The diversity of domination 161 (1996) 161–173

Hamidoune, Y.O. and M.L. Vergnas, Directed switching games II: The Arborescence Game 165/166 (1997) 395–402

Hamidoune, Y.O., On weighted sums in abelian groups 162 (1996) 127–132

Hamilton, G.M., C. Ramsay, I.T. Roberts and D.G. Rogers, Uniform perfect systems of sets of iterated differences of size 4 162 (1996) 133–150

Hammer, P.L., see G. Ding 165/166 (1997) 211–217

Hansen, P., A. Hertz and N. Quinodoz, Splitting trees 165/166 (1997) 403–419

Harkat-Benhamdine, A., see M.E.K. Abderrezak 165/166 (1997) 11– 20

Hattingh, J.H., see J.E. Dunbar 167/168 (1997) 261–269

Hedetniemi, S.T., see J.E. Dunbar 167/168 (1997) 261–269

Hell, P., see R.C. Brewster 167/168 (1997) 145–154

Henning, M.A., O.R. Oellermann and H.C. Swart, Local edge domination critical graphs 161 (1996) 175–184

Henning, M.A., see L.W. Beineke 167/168 (1997) 127–139

Hertz, A., see P. Hansen 165/166 (1997) 403–419

Hevia, H., see G. Chartrand 170 (1997) 63– 79

Hilton, A.J.W., see L.D. Andersen 167/168 (1997) 17– 34

Hindman, N. and H. Lefmann, Canonical partition relations for (m, p, c) -systems 162 (1996) 151–174

Hoffmann, P., Counting maximal cycles in binary matroids (*Note*) 162 (1996) 291–292

Hoggatt, S.G., Weight enumerators of codes derived from polynomial product algorithms 167/168 (1997) 373–391

Horák, P., see A. Černý 167/168 (1997) 189–196

Horňák, M. and S. Jendrol, On the d -distance face chromatic number of plane graphs 164 (1997) 171–174

Hougardy, S., Perfect graphs with unique P_4 -structure 165/166 (1997) 421–430

Howard, F.T., Explicit formulas for degenerate Bernoulli numbers 162 (1996) 175–185

Huang, J., see J. Bang-Jensen 161 (1996) 1– 12

Hudry, O., see I. Charon 165/166 (1997) 139–153

Hurley, S., see D.H. Smith 167/168 (1997) 571–582

Hurtado, F., O. Serra and J. Urrutia, Hiding points in arrangements of segments 162 (1996) 187–197

Imrich, W., T. Pisanski and J. Žerovník, Recognizing Cartesian graph bundles 167/168 (1997) 393–403

Jackson, B. and N.C. Wormald, On the linear k -arboricity of cubic graphs (*Note*) 162 (1996) 293–297

Jarrett, E.B., see G. Chartrand 170 (1997) 63– 79

Jendrol, S., see M. Horňák 164 (1997) 171–174

Jennings, D. and K. Byard, An extension for residue difference sets 167/168 (1997) 405–410

Jonck, B., see G. Benadé 162 (1996) 13– 22
 Junming, L., see X. Keyi 163 (1997) 285–291

Kalhoff, F., On projective embeddings of partial planes and rank-three matroids 163 (1997) 67– 79
 Katona, G.O.H., Extremal problems for finite sets and convex hulls — A survey 164 (1997) 175–185
 Katona, G.Y., Toughness and edge-toughness 164 (1997) 187–196
 Keyi, X. and L. Junming, On Srivastava's problems and the properties of Hadamard matrices (*Note*) 163 (1997) 285–291
 Khachiyan, L., see V. Gurvich 169 (1997) 245–248
 Klavžar, S., see J. Hagauer 161 (1996) 143–149
 Klazar, M., Combinatorial aspects of Davenport–Schinzel sequences 165/166 (1997) 431–445
 Klazar, M., On well quasiordering of finite languages 163 (1997) 81– 88
 Ko, C.-W., J. Lee and E. Steingrímsson, The volume of relaxed Boolean-quadratic and cut polytopes (*Note*) 163 (1997) 293–298
 Kochol, M., A cyclically 6-edge-connected snark of order 118 (*Note*) 161 (1996) 297–300
 Koh, K.M., see F.M. Dong 169 (1997) 39– 54
 Koh, K.M. and B.P. Tan, The number of kings in a multipartite tournament 167/168 (1997) 411–418
 Komar, J., see S. Bylka 164 (1997) 33– 45
 Korchmáros, G., see A. Bonisoli 161 (1996) 13– 24
 Korzhik, V.P., A tighter bounding interval for the 1-chromatic number of a surface 169 (1997) 95–120
 Kostochka, A. and J. Kratochvíl, Covering and coloring polygon–circle graphs (*Note*) 163 (1997) 299–305
 Kostochka, A.V., M. Stiebitz and B. Wirth, The colour theorems of Brooks and Gallai extended (*Note*) 162 (1996) 299–303
 Kostochka, A.V., The total chromatic number of any multigraph with maximum degree five is at most seven 162 (1996) 199–214
 Kostochka, A.V., see E. Györi 163 (1997) 279–284
 Kostochka, A.V., see T. Böhme 170 (1997) 219–222
 Kratochvíl, J., see A. Kostochka 163 (1997) 299–305
 Kratsch, D. and J.-X. Rampon, Width two posets are reconstructible (*Note*) 162 (1996) 305–310
 Kratsch, D., see J.S. Deogun 170 (1997) 99–106
 Krattenthaler, C., see M. Fulmek 161 (1996) 101–120
 Kreinin, A. and A. Vainshtein, Asymptotics for Morgan numbers of fractional orders (*Note*) 161 (1996) 301–308

Krivelevich, M., Almost perfect matchings in random uniform hypergraphs (*Note*) 170 (1997) 259–263

Krompart, L.B., see K.L. Collins 169 (1997) 29–38

Kühnel, W. and G. Lassmann, Permuted difference cycles and triangulated sphere bundles 162 (1996) 215–227

Kubale, M., J. Pakulski and K. Piwakowski, The smallest hard-to-color graph for the SL algorithm 164 (1997) 197–212

Kuo, D., G.J. Chang and Y.H.H. Kwong, Cordial labeling of mK_n 169 (1997) 121–131

Kwaśnik, M. and A. Szelecka, Strong perfectness of the generalized Cartesian product of graphs 164 (1997) 213–220

Kwong, Y.H.H., see D. Kuo 169 (1997) 121–131

Laborde, J.M. and R.M. Madani, Generalized hypercubes and $(0, 2)$ -graphs 165/166 (1997) 447–459

Larose, B. and L. Zádori, Algebraic properties and dismantlability of finite posets 163 (1997) 89–99

Laskar, R.C., see G.S. Domke 167/168 (1997) 249–259

Lassmann, G., see W. Kühnel 162 (1996) 215–227

Latha, L.P., see E. Sampathkumar 161 (1996) 235–242

Laurent, M., see J. Edmonds 165/166 (1997) 219–226

Lauri, J., On a formula for the number of Euler trails for a class of digraphs (*Note*) 163 (1997) 307–312

Lee, J., see C.-W. Ko 163 (1997) 293–298

Leader, I., see B. Bollobás 162 (1996) 31–48

Leclerc, B., Families of chains of a poset and Sperner properties 165/166 (1997) 461–468

Lefmann, H., see N. Hindman 162 (1996) 151–174

Lehel, J., The partition of a uniform hypergraph into pairs of dependent hyperedges (*Note*) 163 (1997) 313–318

Lenart, C. and N. Ray, Chromatic polynomials of partition systems 167/168 (1997) 419–444

Lewis, R.P., The ranks of partitions modulo 2 167/168 (1997) 445–449

Li, H., M. Lu, F. Tian and B. Wei, Hamiltonicity of 2-connected claw-center independent graphs 165/166 (1997) 469–479

Li, H., see M.E.K. Abderrezak 165/166 (1997) 11–20

Li, J. and F. Tian, A proof of a conjecture about D_λ -paths in graphs with large neighborhood unions 161 (1996) 185–196

Li, X., A lower bound for the connectivity of directed Euler tour transformation graphs 163 (1997) 101–108

Li, Y. and C. Rousseau, On the Ramsey number $r(H + \overline{K}_n, K_n)$ (*Note*) 170 (1997) 265–267

Li, Y., C.C. Rousseau and L. Šoltés, Ramsey linear families and generalized subdivided graphs (*Note*) 170 (1997) 269–275

Lin, Y.-C., see J.R. Griggs 169 (1997) 233–243

Liu, X. and B. Wei, A generalization of Bondy's and Fan's sufficient conditions for Hamiltonian graphs (*Note*) 169 (1997) 249–255

Linhares-Sales, C., see H. Everett 165/166 (1997) 233–252

Lipták, L., Sperner systems containing at most k sets of every cardinality (*Communication*) 170 (1997) 203–209

Liu, D.D.-F., T -graphs and the channel assignment problem 161 (1996) 197–205

Liu, J. and H. Zhou, Maximum induced matchings in graphs (*Note*) 170 (1997) 277–281

Liu, X., Lower bounds of length of longest cycles in graphs involving neighborhood unions 169 (1997) 133–144

Lladó, A.S., see G. Ringel 165/166 (1997) 587–595

Löwe, M., see I. Althöfer 162 (1996) 267–271

Lonc, Z., Delta-system decompositions of graphs 164 (1997) 221–224

Lu, M., see H. Li 165/166 (1997) 469–479

Łuczak, T., see E. Györi 163 (1997) 279–284

Lungo, A.D., see E. Barcucci 170 (1997) 211–217

Márquez, A., see L. Boza 161 (1996) 45–52

MacGillivray, G., see R.C. Brewster 167/168 (1997) 145–154

Macula, A.J., A simple construction of d -disjunct matrices with certain constant weights (*Note*) 162 (1996) 311–312

Macula, A.J., Two applications of separating systems to nonadaptive procedures (*Note*) 169 (1997) 257–262

Madani, R.M., see J.M. Laborde 165/166 (1997) 447–459

Maffray, F. and M. Preissmann, On the NP-completeness of the k -colorability problem for triangle-free graphs (*Note*) 162 (1996) 313–317

Maffray, F., see H. Aït Haddadène 163 (1997) 211–215

Maffray, F., see H. Everett 165/166 (1997) 233–252

Maffray, F., see S. Gravier 165/166 (1997) 353–358

Mahéo, M., see J. Gimbel 165/166 (1997) 343–351

Mahjoub, A.R., On perfectly two-edge connected graphs 170 (1997) 153–172

Mahjoub, A.R., see M. Bouchakour 165/166 (1997) 101–123

Mahmoodian, E.S., R. Naserasr and M. Zaker, Defining sets in vertex colorings of graphs and latin rectangles 167/168 (1997) 451–460

Maier, T., see R.E. Burkard 161 (1996) 53–61

Maire, F., see J.-L. Fouquet 165/166 (1997) 301–312

Majcher, Z. and J. Michael, Degree sequences of highly irregular graphs 164 (1997) 225–236

Majcher, Z. and J. Michael, Highly irregular graphs with extreme numbers of edges 164 (1997) 237–242

Markus, L.R., see G.S. Domke 167/168 (1997) 237–248

Martin, N., Complete bipartite factorisations by complete bipartite graphs 167/168 (1997) 461–480

Maureso, M., see J.M. Brunat 165/166 (1997) 125–137

Maurras, J.-F. and Y. Vaxès, Multicommodity network flow with jump constraints 165/166 (1997) 481–496

Maurras, J.F., see M. Hadjat 165/166 (1997) 377–394

McDiarmid, C., Hypergraph colouring and the Lovász Local Lemma 167/168 (1997) 481–486

McDougal, K., A generalization of Ryser's theorem on term rank (*Note*) 170 (1997) 283–288

McRae, A.A., see J.E. Dunbar 167/168 (1997) 261–269

Michael, J., see Z. Majcher 164 (1997) 225–236

Michael, J., see Z. Majcher 164 (1997) 237–242

Milazzo, L., The monochromatic block number 165/166 (1997) 487–496

Miller, W.P., Techniques in matroid reconstruction 170 (1997) 173–183

Monjardet, B., On a dependence relation in finite lattices 165/166 (1997) 497–505

Moon, J.W., On the number of induced subgraphs of trees 167/168 (1997) 487–496

Mora, M., see J.M. Brunat 165/166 (1997) 125–137

Müller, H. and J.-X. Rampon, Partial orders and their convex subsets 165/166 (1997) 507–517

Mudrinski, V., see D.M. Acketa 163 (1997) 209–210

Mulder, H.M., see A.E. Brouwer 169 (1997) 153–155

Murphy, J.P., see M.J. Grannell 167/168 (1997) 341–352

Muzychuk, M., On Ádám's conjecture for circulant graphs 167/168 (1997) 497–510

Mynhardt, C.M., see A.P. Burger 163 (1997) 47–66

Mynhardt, C.M., see E.J. Cockayne 167/168 (1997) 205–214

Naserasr, R., see E.S. Mahmoodian 167/168 (1997) 451–460

Nešetřil, J., A. Raspaud and E. Sopena, Colorings and girth of oriented planar graphs 165/166 (1997) 519–530

Neumann-Lara, V. and E. Rivera-Campo, Euler tours and a game with dominoes 167/168 (1997) 511–517

Neumann-Lara, V., Vertex critical 4-dichromatic circulant tournaments (*Note*) 170 (1997) 289–291

Nishimura, T. and A. Saito, Two recursive theorems
on n -extendibility (*Note*) 162 (1996) 319–323

Oates-Williams, S., see D.E. Bryant 167/168 (1997) 167–174

Oellermann, O.R., see M.A. Henning 161 (1996) 161–173

Oellermann, O.R., see M.A. Henning 161 (1996) 175–184

Ono, K., Odd values of the partition function (*Note*) 169 (1997) 263–268

Ordaz, O., D. Amar and A. Raspaud, Hamiltonian
properties and the bipartite independence number 161 (1996) 207–215

Owens, P.J. and D.A. Preece, Aspects of complete sets
of 9×9 pairwise orthogonal latin squares 167/168 (1997) 519–525

Padberg, M. and T.-Y. Sung, An analytic symmetriza-
tion of max flow–min cut 165/166 (1997) 531–545

Pakulski, J., see M. Kubale 164 (1997) 197–212

Palisse, R., Subsets of a finite set that almost always
intersect each other in λ elements 165/166 (1997) 547–553

Payan, C., Empilement de cercles égaux dans un tri-
angle équilatéral: A propos d'une conjecture
d'Erdős–Oler 165/166 (1997) 555–565

Perkovic, L. and B. Reed, Edge coloring regular
graphs of high degree 165/166 (1997) 567–578

Pinkernell, A., see Y. Guo 164 (1997) 165–170

Pinzani, R., see E. Barcucci 170 (1997) 211–217

Pisanski, T., see W. Imrich 167/168 (1997) 393–403

Piwakowski, K., On Ramsey number $R(4, 3, 3)$ and
triangle-free edge-chromatic graphs in three colors 164 (1997) 243–249

Piwakowski, K., see M. Kubale 164 (1997) 197–212

Plummer, M.D., see W. Goddard 167/168 (1997) 329–339

Politof, T. and A. Satyanarayana, The structure of
quasi 4-connected graphs 161 (1996) 217–228

Porto, O., see H. Everett 165/166 (1997) 233–252

Préa, P., About weak connectivity 165/166 (1997) 579–586

Preece, D.A., Some 6×11 Youden squares and double
Youden rectangles 167/168 (1997) 527–541

Preece, D.A., see P.J. Owens 167/168 (1997) 519–525

Preissmann, M., see F. Maffray 162 (1996) 313–317

Pretorius, L.M., see C.J. Swanepoel 167/168 (1997) 583–592

Prisner, E., Radius versus diameter in cocomparability
and intersection graphs 163 (1997) 109–117

Prodinger, H., see X. Gourdon 169 (1997) 227–232

Pyber, L., see P. Erdős 170 (1997) 249–252

Quinodoz, N., see P. Hansen 165/166 (1997) 403–419

Rajan, D.S. and A.M. Shende, A characterization of root lattices (*Note*) 161 (1996) 309–314

Rampon, J.-X., see D. Kratsch 162 (1996) 305–310

Rampon, J.-X., see H. Müller 165/166 (1997) 507–517

Ramsay, C., see G.M. Hamilton 162 (1996) 133–150

Raspaud, A., see J. Nešetřil 165/166 (1997) 519–530

Raspaud, A., see O. Ordaz 161 (1996) 207–215

Ray, N., see C. Lenart 167/168 (1997) 419–444

Read, R.C., Combinatorial problems in the theory of music 167/168 (1997) 543–551

Redouane, Y., see O. Favaron 165/166 (1997) 253–261

Reed, B., see L. Perkovic 165/166 (1997) 567–578

Reed, B.A., see H. Everett 165/166 (1997) 233–252

Reid, T.J. and L.I. Virden, On rounded five-element lines of matroids 163 (1997) 119–127

Ren, S., A sufficient condition for graphs with large neighborhood unions to be traceable 161 (1996) 229–234

Riis, S., Bootstrapping the primitive recursive functions by only 27 colors (*Note*) 169 (1997) 269–272

Ringel, G., A.S. Llado and O. Serra, On the tree number of regular graphs 165/166 (1997) 587–595

Rivera-Campo, E., see V. Neumann-Lara 167/168 (1997) 511–517

Roberts, I.T., see G.M. Hamilton 162 (1996) 133–150

Rodiňt, Y., see Y. Caro 164 (1997) 47–65

Rogers, D.G., see G.M. Hamilton 162 (1996) 133–150

Rousseau, C., see Y. Li 170 (1997) 265–267

Rousseau, C.C., see Y. Li 170 (1997) 269–275

Roussel, F., see V. Giakoumakis 165/166 (1997) 321–342

Ruciński, A. and M. Truszczyński, A note on local colorings of graphs 164 (1997) 251–255

Rusu, I., see J.-L. Fouquet 165/166 (1997) 301–312

Ryjáček, Z., Matching extension in $K_{1,r}$ -free graphs with independent claw centers 164 (1997) 257–263

Ryjáček, Z., see R. Faudree 164 (1997) 87–147

Ryjáček, Z., see H.J. Broersma 167/168 (1997) 155–166

Sachs, H., Graph Theory in Organic Chemistry: Problems and Methods in the Chemistry of Carbon Footballs and Tubes (Fullerenes) 165/166 (1997) 597–598

Saclé, J.-F. and M. Woźniak, A note on packing of three forests 164 (1997) 265–274

Saclé, J.-F. and M. Woźniak, On graphs which contain each tree of given size 165/166 (1997) 599–605

Saito, A., see T. Nishimura 162 (1996) 319–323

Salvetti, M. and F. Stumbo, Artin groups associated to infinite Coxeter groups 163 (1997) 129–138

Sampathkumar, E. and L.P. Latha, Strong weak domination and domination balance in a graph 161 (1996) 235–242

Sankaranarayana, R.S. and L.K. Stewart, Recursively decomposable well-covered graphs 161 (1996) 243–263

Sapir, M.V., see T.E. Hall 161 (1996) 151–160

Satyanarayana, A., see T. Polito 161 (1996) 217–228

Schaar, G. and A.P. Wojda, An upper bound for the Hamiltonicity exponent of finite digraphs (*Note*) 164 (1997) 313–316

Schaar, G., On the Hamiltonicity exponent of directed cacti 164 (1997) 275–284

Schelp, R.H., see G. Chen 170 (1997) 231–236

Schiermeyer, I., see H.J. Broersma 167/168 (1997) 155–166

Schönheim, J., see Y. Caro 164 (1997) 47–65

Schrijver, A., see J. Edmonds 165/166 (1997) 219–226

Schultz, M., see G. Chartrand 170 (1997) 63–79

Scott, A.D., see B. Bollobás 170 (1997) 41–49

Serra, O., see F. Hurtado 162 (1996) 187–197

Serra, O., see G. Ringel 165/166 (1997) 587–595

Sevast'janov, S. and W. Banaszczyk, To the Steinitz lemma in coordinate form 169 (1997) 145–152

Shahriari, S., On the structure of maximum 2-part Sperner families 162 (1996) 229–238

Shende, A.M., see D.S. Rajan 161 (1996) 309–314

Shreve, W.E., see G. Chen 170 (1997) 231–236

Simon, K., see D. Crippa 170 (1997) 81–98

Sinclair, P.A., The construction and reduction of strong snarks 167/168 (1997) 553–570

Sloane, N.J.A., see M. Bernstein 170 (1997) 29–39

Smith, D.H. and S. Hurley, Bounds for the frequency assignment problem 167/168 (1997) 571–582

Smith, W.D., see M.B. Dillencourt 161 (1996) 63–77

Snevily, H.S., New families of graphs that have α -labelings 170 (1997) 185–194

Šoltés, L., see Y. Li 170 (1997) 269–275

Sopena, E., see J. Nešetřil 165/166 (1997) 519–530

Speranza, M.G., see P. Dell'Olmo 164 (1997) 67–79

Stacho, L., A sufficient condition guaranteeing large cycles in graphs (*Note*) 169 (1997) 273–277

Stachowiak, G., Finding parity difference by involutions 163 (1997) 139–151

Stefan, J. and P. Charles, Une caractérisation des produits d'arbres et des grilles (*Communication*) 163 (1997) 201–208

Steffen, E., see G. Brinkmann 169 (1997) 193–197

Steffen, E., Counterexamples to a conjecture about bottlenecks in non-Tait-colourable cubic graphs (*Note*) 161 (1996) 315

Steiner, G., see J.S. Deogun 170 (1997) 99–106

Steingrímsson, E., see C.-W. Ko 163 (1997) 293–298

Stewart, I.A., On locating cubic subgraphs in bounded-degree connected bipartite graphs (*Note*) 163 (1997) 319–324

Stewart, L.K., see R.S. Sankaranarayana 161 (1996) 243–263

Stiebitz, M., see A.V. Kostochka 162 (1996) 299–303

Stiebitz, M., see T. Böhme 170 (1997) 219–222

Stumbo, F., see M. Salvetti 163 (1997) 129–138

Sun, Z.-H., Congruences for Bernoulli numbers and Bernoulli polynomials 163 (1997) 153–163

Sung, T.-Y., see M. Padberg 165/166 (1997) 531–545

Swanepoel, C.J. and L.M. Pretorius, Factor-complement partitions of ascending k -parameter words 167/168 (1997) 583–592

Swart, H.C., see M.A. Henning 161 (1996) 161–173

Swart, H.C., see M.A. Henning 161 (1996) 175–184

Swart, H.C., see W. Goddard 161 (1996) 121–132

Swart, H.C., see W. Goddard 167/168 (1997) 329–339

Szelecka, A., see M. Kwaśnik 164 (1997) 213–220

Talip, see X.-R., Yong 169 (1997) 293–298

Tan, B.P., see K.M. Koh 167/168 (1997) 411–418

Tang, X. and A. Ben-Israel, Two consequences of Minkowski's 2ⁿ theorem (*Note*) 169 (1997) 279–282

Thomassen, C., Dirac's conjecture on K_5 -subdivisions 165/166 (1997) 607–608

Thuillier, H., see J.-L. Fouquet 165/166 (1997) 301–312

Thuillier, H., see V. Giakoumakis 165/166 (1997) 321–342

Tian, F., see H. Li 165/166 (1997) 469–479

Tian, F., see J. Li 161 (1996) 185–196

Tillich, J.P., see C. Delorme 165/166 (1997) 171–194

Toader, Gh., On Chebyshev's inequality for sequences (*Note*) 161 (1996) 317–322

Togni, O., Irregularity strength of the toroidal grid 165/166 (1997) 609–620

Tomescu, I., On the number of trees having k edges in common with a graph of bounded degrees (*Note*) 169 (1997) 283–286

Topp, J. and P.D. Vestergaard, Totally equimatchable graphs 164 (1997) 285–290

Truszczyński, M., see A. Ruciński 164 (1997) 251–255

Tsay, Y.-J. and G.J. Chang, The exact gossiping problem 163 (1997) 165–172

Tuza, Zs., see N. Alon 165/166 (1997) 31– 38

Tuza, Zs., see P. Dell'Olmo 164 (1997) 67– 79

Tyshkevich, R.I. and V.E. Zverovich, Line hypergraphs 161 (1996) 265–283

Urrutia, J., see F. Hurtado 162 (1996) 187–197

Ushio, K., Star-factorization of symmetric complete bipartite digraphs 167/168 (1997) 593–596

Vaderlind, P., see A.P. Wojda 164 (1997) 303–311

Vainshtein, A., see A. Kreinin 161 (1996) 301–308

Valette, A., An application of Ramanujan graphs to C^* -algebra tensor products 167/168 (1997) 597–603

Vanderkam, J.M., Path-sequential labellings of cycles 162 (1996) 239–249

Vaxès, Y., see J.-F. Maurras 165/166 (1997) 481–486

Vergnas, M.L., see Y.O. Hamidoune 165/166 (1997) 395–402

Vestergaard, P.D., see J. Topp 164 (1997) 285–290

Virden, L.I., see T.J. Reid 163 (1997) 119–127

Virlouvet, C., see J. Gimbel 165/166 (1997) 343–351

Voigt, M., see N. Alon 165/166 (1997) 31– 38

Volkmann, L., see J. Bang-Jensen 167/168 (1997) 101–114

Volkmann, L., see Y. Guo 164 (1997) 165–170

Vu Dinh, H., Path partition number in tough graphs 164 (1997) 291–294

Włoch, A. and I. Włoch, On (k, l) -kernels in generalized products 164 (1997) 295–301

Włoch, I., see A. Włoch 164 (1997) 295–301

Wallis, W.D., see A. Černý 167/168 (1997) 189–196

Wan, P.-J. and D.-Z. Du, A $(\log_2 3 + \frac{1}{2})$ -competitive algorithm for the counterfeit coin problem 163 (1997) 173–200

Webb, B.S., Orbita of infinite block designs (*Note*) 169 (1997) 287–292

Wei, B., see X. Liu 169 (1997) 249–255

Wei, B., Longest cycles in 3-connected graphs 170 (1997) 195–201

Wei, B., see H. Li 165/166 (1997) 469–479

Wei, R., see F.E. Bennett 170 (1997) 15– 28

Wirth, B., see A.V. Kostochka 162 (1996) 299–303

Woigard, F., see I. Charon 165/166 (1997) 139–153

Wojda, A.P. and P. Vaderlind, Packing bipartite graphs 164 (1997) 303–311

Wojda, A.P. and I.A. Ziolo, Embedding digraphs of small size 165/166 (1997) 621–638

Wojda, A.P., see G. Schaar 164 (1997) 313–316
 Wormald, N.C., see B. Jackson 162 (1996) 293–297
 Woźniak, M., see J.-F. Saclé 164 (1997) 265–274
 Woźniak, M., see J.-F. Saclé 165/166 (1997) 599–605
 Wright, P.E., see M. Bernstein 170 (1997) 29– 39

Yamasaki, Y., The arithmetic of reversed positional games 165/166 (1997) 639–641
 Yebra, J.L.A., see M.A. Fiol 167/168 (1997) 297–307
 Yeo, A., see J. Bang-Jensen 162 (1996) 1– 11
 Yin, J., see F.E. Bennett 162 (1996) 23– 29

Yong, X.-R., Talip and Acenjian, The numbers of spanning trees of the cubic cycle C_N^3 and the quadruple cycle C_N^4 (*Note*) 169 (1997) 293–298
 Yuster, R., On packing trees into complete bipartite graphs (*Note*) 163 (1997) 325–327

Žerovník, J., see W. Imrich 167/168 (1997) 393–403
 Zádori, L., see B. Larose 163 (1997) 89– 99
 Zaker, M., see E.S. Mahmoodian 167/168 (1997) 451–460
 Zamfirescu, C., Cyclic and cliquewise connectedness of line graphs (*Note*) 170 (1997) 293–297
 Zha, X., Closed 2-cell embeddings of 4 cross-cap embeddable graphs 162 (1996) 251–266
 Zhang, H., Characterization of self-complementary symmetric digraphs (*Note*) 161 (1996) 323–327
 Zhou, H., see J. Liu 170 (1997) 277–281
 Zhu, X., see W.A. Deuber 165/166 (1997) 195–204
 Ziolo, I.A., see A.P. Wojda 165/166 (1997) 621–638
 Zverovich, V.E., see R.I. Tyshkevich 161 (1996) 265–283

Scope of the Journal

The aim of this journal is to bring together research papers in different areas of discrete mathematics. Contributions presented to the journal can be research papers, short notes, surveys, and possibly research problems. The 'Communications' section will be devoted to the fastest possible publication of the brief outlines of recent research results, the detailed presentation of which might be submitted for possible publication in DISC or elsewhere. The journal will also publish a limited number of book announcements, as well as proceedings of conferences. The journal will publish papers in combinatorial mathematics and related areas. In particular, graph and hypergraph theory, network theory, coding theory, block designs, lattice theory, the theory of partially ordered sets, combinatorial geometries, matroid theory, extremal set theory, logic and automata, matrices, polyhedra, discrete probability theory, etc. shall be among the fields covered by the journal.

Instructions to contributors

All contributions should be written in English or French, should have an abstract in English (as well as one in French if the paper is written in French), and—with the exception of Communications—should be sent in triplicate to Nelly Segal, Editorial Manager, RUTCOR, Rutgers University Center for Operations Research, P.O. Box 5062, New Brunswick, NJ 08903-5062, USA. The authors are requested to put their mailing address on the manuscript.

Upon acceptance of an article, the author(s) will be asked to transfer copyright of the article to the Publisher. This transfer will ensure the widest possible dissemination of information.

Manuscripts submitted for the Communications section, having at most 5 typewritten pages, should be sent to a member of the editorial board in triplicate. Detailed proofs do not have to be included, but results must be accompanied at least by rough outlines of their proofs. Subsequent publication in this journal or elsewhere of the full text of a research report, the outline of which has been published in the Communications section of our journal, is not excluded. Every effort shall be made for the fastest possible publication of Communications.

Please make sure that the paper is submitted in its final form. Corrections in the proofstage, other than of printer's errors, should be avoided; costs arising from such extra corrections will be charged to the authors.

The manuscript should be prepared for publication in accordance with instructions given in the 'Instructions to Authors' (available from the Publisher) details of which are condensed below:

1. The manuscript must be typed on one side of the paper in double spacing with wide margins. A duplicate copy should be retained by the author.
2. Special care should be given to the preparation of the drawings for figures and diagrams. Except for a reduction in size, they will appear in the final printing in exactly the same form as they were submitted by the author; normally they will not be redrawn by the printer. In order to make a photographic reproduction possible, all drawings should be on separate sheets, with wide margins, drawn large size, in Indian ink, and carefully lettered. Exceptions are diagrams only containing formulae and a small number of single straight lines (or arrows); these can be typeset by the printer.
3. References should be listed alphabetically, in the same way as the following examples:

For a book: W.K. Chen, *Applied Graph Theory* (North-Holland, Amsterdam, 1971).

For a paper in a journal: M.M.G. Fase and M. van Tol, The monetary return on investment in paintings, *Econom. Statist. Ber.* 79 (1994) 684–689.

For a paper in a contributed volume: M.O. Rabin, Weakly definable relations and special automata, in: Y. Bar-Hillel, ed., *Mathematical Logic and Foundations of Set Theory* (North-Holland, Amsterdam, 1970) 1–23.

For an unpublished paper: R. Schrauwen, Series of singularities and their topology, Ph.D. Thesis, Utrecht University, Utrecht, 1991.

Instructions for LaTeX manuscripts

The LaTeX files of papers that have been accepted for publication may be sent to the Publisher by e-mail or on a diskette (3.5" or 5.25" MS-DOS). If the file is suitable, proofs will be produced without rekeying the text. The article should be encoded in Elsevier-LaTeX, standard LaTeX, or AMS-LaTeX (in document style "article"). The Elsevier-LaTeX package, together with instructions on how to prepare a file, is available from the Publisher. This package can also be obtained through the Elsevier WWW home page (<http://www.elsevier.nl>), or using anonymous FTP from the Comprehensive TeX Archive Network (CTAN). The host-names are: `ftp.dante.de`, `ftp.tex.ac.uk`, `ftp.shsu.edu`; the CTAN directory is: `/tex-archive/macros/latex/contrib/supported/elsevier`. *No changes from the accepted version are permissible, without the explicit approval by the Editor. The Publisher reserves the right to decide whether to use the author's file or not.* If the file is sent by e-mail, the name of the journal *Discrete Mathematics*, should be mentioned in the "subject field" of the message to identify the paper. Authors should include an ASCII table (available from the Publisher) in their files to enable the detection of transmission errors. The files should be mailed to: Ms. Paulette de Boer, Elsevier Science B.V., P.O. Box 103, 1000 AC Amsterdam, Netherlands, Fax: (31-20) 4852616. E-mail: `p.boer@elsevier.nl`.

Author's benefits

1. 30% discount on all book publications of North-Holland.
2. 50 reprints are provided free of charge to the principal author of each paper published.

US mailing notice—*Discrete Mathematics* (0012-365x) is published (total 16 issues) by Elsevier Science (Molenwerf 1, Postbus 211, 1000 AE Amsterdam). Annual subscription price in the USA US\$ 3437.00 (US\$ price valid in North, Central and South America only), including air speed delivery. Application to mail at periodicals postage rate is pending at Jamaica, NY 11431.

USA POSTMASTERS: Send address changes to Discrete Mathematics, Publication Expediting, Inc., 200 Meacham Avenue, Elmont, NY 11003. Air freight and mailing in the USA by Publication Expediting.



0012-365X(1997)161:170;1-J

Keep track of recently published papers
<http://www.elsevier.nl/locate/disc>

